

Gdansk, 19.12.2024

**CERTIFICATE
CONFIRMING THE PERFORMANCE OF
TESTS
AT THE GBA POLSKA COSMETICS
RESEARCH CENTER**


Based on the results of dermatological test (report no. F45862/08/24, dated: 10.09.2024) with 30 volunteers with sensitive skin, we conclude that the product:

Duschgel for MEN I3920042

**meets the requirements of the skin compatibility test
and may be classified as non-irritating.**

The lack of positive reactions indicates that the tested product does not cause irritation or sensitization in contact with the skin.

Signature:



Operations Manager of the Cosmetics Segment & Branch Manager

Traduction

Gdansk, 19.12.2024

CERTIFICAT CONFIRMANT L'EXÉCUTION DES TESTS AU CENTRE DE RECHERCHE COSMÉTIQUE DE GBA POLSKA

Sur la base des résultats du test dermatologique (rapport n° F45862/08/24, daté du 10.09.2024) sur 30 volontaires à la peau sensible, nous concluons que le produit :

Duschgel for MEN I3920042

répond aux exigences du test de compatibilité cutanée et peut être classé comme non irritant.

L'absence de réactions positives indique que le produit testé ne provoque pas d'irritation ou de sensibilisation au contact de la peau.