



Derma  
Consult  
GmbH

Gesellschaft zur Prüfung von  
Dermatika

DC Brunnenstraße 61 53347 Alfter Germany

Phone: +49 - (0)2222 / 9108 - 10

Fax: +49 - (0)2222 / 9108 - 40

E-mail: info@dermaconsult.com

Web: www.dermaconsult.com

Date: 14.07.2022

## Expertise

Examination of the Product

**“SOMESHINE Lipbalm SPF 30”**

*sample delivery 06/2022*

*Concentration: undiluted*

by Human Photo Patch Test (Cosmetic Trial)

*Sponsor*

**proWIN Winter GmbH**

Zeppelinstr. 8

66557 Illingen

Germany

*Performing Laboratory*

**Derma Consult GmbH**

Brunnenstr. 61

53347 Alfter

Germany

## Study Details

*Type of study.....:* Determination of irritating effects to the skin with an occlusive Photo patch test.

*Study Period.....:* July 2022

*Study Director.....:* Dr. med. H. Prieur

*Test subjects.....:* 50 (18-70 years; sex distribution non-standardized)

30 normal healthy, 3 eczema, 1 allergy and 16 subjects with sensitive skin

*Test site.....:* Back

*Concentration.....:* Undiluted

## Summary Results

All participants completed the study. None of the subjects showed any reaction to the test product. On the basis of the test results and under the test conditions, there was no evidence of a primary photo toxic reaction to the product

**“SOMESHINE Lipbalm SPF 30“.**

Signature:

Dr. med. H. Prieur  
Dermatologist - Allergist

Signature:

Dr. J. Nissen  
Pharmacist - M.D.R.A.

Page 1 of 3

manager: Dr. Hans-Peter Nissen Dr. Jana Nissen  
VAT-REG.No. DE 123369725

district court Bonn HRB 5272  
Tax No. 222/5703/0374

# Traduction

Date : 14/07/2022

## Expertise

Examen du produit

**"SOMESHINE Lipbalm SPF 30"**

*livraison de l'échantillon 06/2022*

*Concentration : non dilué*

par photopatch test sur des personnes (essai cosmétique)

Donneur d'ordre  
**proWIN Winter GmbH**  
Zeppelinstraße 8  
66557 Illingen  
Allemagne

Laboratoire de réalisation  
**Derma Consult GmbH**  
Brunnenstr. 61  
53347 Alfter  
Allemagne

## Détails de l'étude

Type d'étude..... : Détermination d'effets irritants sur la peau avec un photopatch test occlusif.

Période d'étude ..... : Juillet 2022

Directeur de l'étude ..... : Dr. méd. H. Prieur

Sujets du test ..... 50 (18-70 ans ; répartition des sexes non standardisée)  
30 sujets normaux en bonne santé, 3 eczémas, 1 allergie et 16 sujets ayant une peau sensible

Zone de test ..... : dos

Concentration..... : non dilué

## Résumé des résultats

Tous les participants ont terminé l'étude. Aucun des sujets n'a présenté de réaction au produit testé. Sur la base des résultats des tests et dans les conditions de test, il n'y avait aucune preuve d'une réaction photo-toxique primaire au produit

**"SOMESHINE Lipbalm SPF 30"**