



Derma
Consult
GmbH

Gesellschaft zur Prüfung von
Dermatika

DC Brunnenstraße 61 53347 Alfter Germany

Phone: +49 - (0)2222 / 9108 - 10
Fax: +49 - (0)2222 / 9108 - 40
E-mail: info@dermaconsult.com
Web: www.dermaconsult.com
Date: 04.07.2023

Expertise

Examination of the Product

“Compact Face Peeling”

R119122-076-01 E0676/04/23

Concentration: 1,0% in water

by Human Patch Test (Cosmetic Trial)

Sponsor

proWIN Winter GmbH

Zeppelinstr. 8

66557 Illingen

Germany

Performing Laboratory

Derma Consult GmbH

Brunnenstr. 61

53347 Alfter

Germany

Study Details

Type of study.....: Determination of irritating effects to the skin with an occlusive patch test.

Study Period.....: June 2023

Study Director.....: Dr. med. H. Prieur

Test subjects.....: 50 (18-71 years; sex distribution non-standardized)
26 normal healthy, 5 eczema, 4 allergy and 15 subjects with sensitive skin

Test site.....: Back

Concentration.....: 1,0% in water

Controls.....: SDS (1% in water), water

Summary Results

All participants completed the study. Under the test conditions, SDS (1% in water) caused positive reactions in 14 subjects. The negative control water showed no reactions. None of the subjects showed any reaction to the test product. On the basis of the test results and under the test conditions, the product

“Compact Face Peeling“

is to be classified as 'harmless' as regards the possibility of skin irritation.

Signature:

Dr. med. H. Prieur
Dermatologist - Allergist

Signature:

Dr. J. Nissen
Pharmacist - M.D.R.A.

Page 1 of 3

manager: Dr. Hans-Peter Nissen Dr. Jana Nissen
VAT-REG.No. DE 123369725

district court Bonn HRB 5272
Tax No. 222/5703/0374