

DC Brunnenstraße 61 53347 Alfter Germany

Phone: +49 - (0)2222 / 9108 - 10
Fax: +49 - (0)2222 / 9108 - 40
E-mail: info@dermaconsult.com
Web: www.dermaconsult.com
Date: 31.01.2022

Expertise

Examination of the Product

“TIME Peeling Powder”

Rezepturnummer Q2738 Ch.: 35021

Concentration: 10,0% in water

by Human Patch Test (Cosmetic Trial)

Sponsor
proWIN Winter GmbH
Zeppelinstr. 8
66557 Illingen
Germany

Performing Laboratory
Derma Consult GmbH
Brunnenstr. 61
53347 Alfter
Germany

Study Details

Type of study.....: Determination of irritating effects to the skin with an occlusive patch test.
Study Period.....: January 2022
Study Director: Dr. med. H. Prieur
Test subjects: 50 (18-72 years; sex distribution non-standardized)
29 normal healthy, 4 eczema, 2 allergy and 15 subjects with sensitive skin
Test site.....: Back
Concentration.....: 10,0% in water
Controls.....: SDS (1% in water), water


Summary Results

All participants completed the study. Under the test conditions, SDS (1% in water) caused positive reactions in 12 subjects. The negative control water showed no reactions. None of the subjects showed any reaction to the test product. On the basis of the test results and under the test conditions, the product


“TIME Peeling Powder“

is to be classified as 'harmless' as regards the possibility of skin irritation.

Signature:


Dr. med. H. Prieur
Dermatologist - Allergist

Signature:


Dr. J. Nissen
Pharmacist - M.D.R.A.

Page 1 of 3

manager: Dr. Hans-Peter Nissen Dr. Jana Nissen
VAT-REG.No. DE 123369725

district court Bonn HRB 5272
Tax No. 222/5703/0374